



Slim but robust

START Waterproof Slim

START Waterproof Slim is a range of slimline multipower LED waterproof luminaires that provide an ideal solution for applications such as workshops, garages and outdoor covered spaces. Its tool-free electrical connection system and sliding brackets save time and make installation easier. Available in 600mm, 1200mm and 1500mm nominal lengths the product can be a slimline replacement for single and twin 18W/36W/58W fluorescent Waterproof battens.

START Waterproof Slim



Features

- LED integrated Waterproof fixture in 600mm,1200mm,1500mm nominal length
- High efficiency throughout the range with up to 146lm/W system efficacy
- Easy access to electrical terminal through end caps with bayonet lock
- Tool-free electrical connection due to push-in terminal
- Linkable - throughwiring as standard
- Flexible installation as mounting brackets can be positioned freely on the luminaire
- SDCM ≤ 5
- Easy selection between two different light output levels by using the integrated switch
- Ambient Temperature range: -25 to +50°C
- Suspension accessory available (SKU 0046035)
- Compatible with Start Batten ON/OFF MW Sensor KIT (0048986)
- Lifespan: 100.000hrs (L70B50)

Product information

Code	Description	Fixture Lumen (lm)	Total Power Consumption (W)	Luminaire Efficacy (lm/W)	Colour Temperature (K)	IP Rating	IK Rating	Length (mm)	Width (mm)	Height (mm)
START Waterproof Slim										
0046425	START Waterproof Slim 600 IP66 1400/2550lm 840	2550 / 1400	18.5 / 10.5	138 / 133	4000	66	08	640	70	73
0046426	START Waterproof Slim 1200 IP66 2300/4650lm 840	4650 / 2300	34.5 / 17	135 / 135	4000	66	08	1240	70	73
0046427	START Waterproof Slim 1500 IP66 3800/7300lm 840	7300 / 3800	52.5 / 26	139 / 146	4000	66	08	1540	70	73


Code	Description
Accessories	
0046035	START Waterproof Slim Suspension KIT

Additional Images




0046035

Photometric Data



Dimensions (mm)







Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication, specifications and performance data are constantly changing. Current details should therefore be checked with Feilo Sylvania International Group Kft.

Copyright Feilo Sylvania International Group Kft. June 2024

sylvania-lighting.com

A Feilo Sylvania Company